

Name : Mr. VIJAY SHANKAR MAURYA
Lab No. : 504627871
Ref By : Self
Collected : 3/4/2026 2:16:00PM
A/c Status : P
Collected at : ADAMYA - CC
Shankargarh bazar, Shankargarh bazar,
Ayodhya, Shankargarh bazar
FAIZABAD

Age : 49 Years
Gender : Male
Reported : 3/4/2026 7:43:45PM
Report Status : Final
Processed at : WALK IN - AYODHYA LAB
Rikub Ganj ,Faizabad UP 224001

Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT (CBC) (Photometry,Electrical Impedance, Optical/Impedance & Calculated)			
Hemoglobin	14.23	g/dL	13.00 - 17.00
Packed Cell Volume (PCV)	40.10	%	40.00 - 50.00
RBC Count	4.71	mill/mm3	4.50 - 5.50
MCV	85.20	fL	83.00 - 101.00
Mentzer Index	18.1		
MCH	30.20	pg	27.00 - 32.00
MCHC	35.50	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW)	14.80	%	11.60 - 14.00
Total Leukocyte Count (TLC)	5.60	thou/mm3	4.00 - 10.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils	50.81	%	40.00 - 80.00
Lymphocytes	39.33	%	20.00 - 40.00
Monocytes	6.55	%	2.00 - 10.00
Eosinophils	3.10	%	1.00 - 6.00
Basophils	0.21	%	<2.00
Absolute Leucocyte Count			
Neutrophils	2.85	thou/mm3	2.00 - 7.00
Lymphocytes	2.20	thou/mm3	1.00 - 3.00
Monocytes	0.37	thou/mm3	0.20 - 1.00
Eosinophils	0.17	thou/mm3	0.02 - 0.50



Name : Mr. VIJAY SHANKAR MAURYA
Lab No. : 504627871
Ref By : Self
Collected : 3/4/2026 2:16:00PM
A/c Status : P
Collected at : ADAMYA - CC
Shankargarh bazar, Shankargarh bazar,
Ayodhya, Shankargarh bazar
FAIZABAD

Age : 49 Years
Gender : Male
Reported : 3/4/2026 7:43:45PM
Report Status : Final
Processed at : WALK IN - AYODHYA LAB
Rikub Ganj ,Faizabad UP 224001

Test Report

Test Name	Results	Units	Bio. Ref. Interval
Basophils	0.01	thou/mm3	0.02 - 0.10
Platelet Count	125	thou/mm3	150.00 - 410.00
Platelets are checked manually			
Mean Platelet Volume	12.2	fL	6.5 - 12.0

Comment

In anaemic conditions Mentzer index is used to differentiate Iron Deficiency Anaemia from Beta- Thalassemia trait. If Mentzer Index value is >13, there is probability of Iron Deficiency Anaemia. A value <13 indicates likelihood of Beta- Thalassemia trait and Hb HPLC is advised to rule out the Thalassemia trait.

Note

- As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood
- Test conducted on EDTA whole blood



Dr Hariom Gupta
MD, Pathology & Bacteriology
Consultant Pathologist
Dr Lal PathLabs Ltd



Dr Niketa Sharma
MD, Pathology
Chief of Lab

-----End of report-----



Authenticity assured - scan the QR code to access the original report from our verified database



Name :	Mr. VIJAY SHANKAR MAURYA	Age :	49 Years
Lab No. :	504627871	Gender :	Male
Ref By :	Self	Reported :	3/4/2026 7:43:45PM
Collected :	3/4/2026 2:16:00PM	Report Status :	Final
A/c Status :	P	Processed at :	WALK IN - AYODHYA LAB
Collected at :	ADAMYA - CC		Rikub Ganj ,Faizabad UP 224001
	Shankargarh bazar, Shankargarh bazar,		
	Ayodhya, Shankargarh bazar		
	FAIZABAD		

Test Report

Test Name	Results	Units	Bio. Ref. Interval
------------------	----------------	--------------	---------------------------

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

